Molecular Immunology

LIST OF CONTENTS, SUBJECT AND AUTHOR INDEX FOR VOLUME 33, 1996

PERGAMON

Molecular Immunology

Board of Regional Editors

Dr HIDDE PLOEGH (Chairman of the Board), *Massachusetts Institute of Technology, Center for Cancer Research,* 40 *Ames Street, E*17-322, *Cambridge, MA* 02139, *U.S.A.*
Dr JANNIE BORST, *Division of Cellular Biochemistry, The Netherlands Cancer Institute, Plesmanlaan* 121, 1066 *CX Amsterdam, The Netherlands*
Dr J. DONALD CAPRA, *The University of Texas, Southwestern Medical School, Molecular Immunology Center, Department of Microbiology,* 6000 *Harry Hines Blvd, Dallas, TX* 75235-9140, *U.S.A.*
Dr MICHAEL CARROLL, *Department of Pathology, Harvard Medical School,* 200 *Longwood Avenue, Boston, MA* 02115, *U.S.A.*
Dr STEVE GERONDAKIS, *The Walter and Eliza Hall Institute of Medical Research, Royal Melbourne Hospital, Victoria* 3050, *Australia*
Dr ED PALMER, *Basel Institute for Immunology, Grenzacherstrasse* 487, *CH*-4005, *Basel, Switzerland*

Founding Editor

Prof. DAN H. CAMPBELL

Advisory Editors

B. H. BARBER
Toronto, Canada

DAVID H. BING
Boston, MA, U.S.A.

C. A. BONA
New York, NY, U.S.A.

GUY BORDENAVE
Paris, France

JOHN E. COLIGAN
Rockville, MD, U.S.A.

MAURICE COLOMB
Grenoble, France

GIAMPIETRO CORRADIN
Lausanne, Switzerland

M. DAERON
Paris, France

M. P. DIERICH
Innsbruck, Austria

DOUGLAS FEARON
Cambridge, U.K.

Z. FISHELSON
Tel Aviv, Israel

ARNOLD FROESE
Winnipeg, Canada

C. GRANIER
Montpellier, France

DAVID ISENMAN
Toronto, Canada

M. KAARTINEN
Helsinki, Finland

D. M. KRANZ
Urbana, IL, U.S.A.

M. P. LEFRANC
Montpellier, France

WARREN J. LEONARD
Bethesda, MD, U.S.A.

HENNING LOWENSTEIN
Horsholm, Denmark

SHERIE L. MORRISON
Los Angeles, CA, U.S.A.

JIRI NOVOTNY
Princeton, NJ, U.S.A.

EDUARDO A. PADLAN
Bethesda, MD, U.S.A.

KEN PARKER
Bethesda, MD, U.S.A.

JEAN-LOUIS PREUD'HOMME
Poitiers, France

D. J. ROWLANDS
Leeds, U.K.

VERNE N. SCHUMAKER
Los Angeles, CA, U.S.A.

DAVID M. SEGAL
Bethesda, MD, U.S.A.

JOHN TROWSDALE
London, U.K.

EDWARD W. VOSS, JR
Urbana, IL, U.S.A.

JUNJI YODOI
Kyoto, Japan

D. C. YUAN
Dallas, TX, U.S.A.

Production Editors

CAROLINE COWAN and EMMA HOLLINGSWORTH, *Elsevier Science Ltd, Oxford OX*5 1*GB, U.K. Tel.* 01865 843279.

Publishing and Advertising Offices: Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K.

Annual Institutional Subscription Rates 1997: Europe, the CIS and Japan 2831 Dutch Guilders. All other countries US$1748. Associated Personal Subscription Rates are available on request for those whose institutions are library subscribers. Dutch Guilder prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice.

For orders, claims, product enquiries (no manuscript enquiries) please contact the Customer Support Department at the Regional Sales Office nearest to you:
The Americas: Elsevier Science Customer Support Department, P.O. Box 945, New York, NY 10010, U.S.A. [Tel: (+1) 212-633-3730/1-888 4ES-INFO. Fax: (+1) 212-633-3680. E-mail: usinfo-f@elsevier.com].
Japan: Elsevier Science Customer Support Department, 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106, Japan [Tel: (+3) 5561-5033. Fax: (+3) 5561-5047. E-mail: kyf04035@niftyserve.or.jp].
Asia Pacific (*excluding Japan*): Elsevier Science (Singapore) Pte Ltd, No. 1 Temasek Avenue, 17-01 Millenia Tower, Singapore 039192 [Tel: (+65) 434-3727. Fax: (+65) 337-2230. E-mail: asiainfo@elsevier.com.sg].
Rest of the World: Elsevier Science Customer Service Department, P.O. Box 211, 1001 AE Amsterdam, The Netherlands [Tel: (+31) 20-485-3757. Fax: (+31) 20-485-3432. E-mail: nlinfo-f@elsevier.nl].

Published monthly plus additional issues in February, April, June, August, October and December.

Copyright © 1997 Elsevier Science Ltd. All rights reserved.

Whilst every effort is made by the publishers and editorial board to see that no inaccurate or misleading data, opinion or statement appear in this journal, they wish to make it clear that the data and opinions appearing in the articles and advertisements herein are the sole responsibility of the contributor or advertiser concerned. Accordingly, the publishers, the editorial board and editors and their respective employees, officers and agents accept no responsibility or liability whatsoever for the consequences of any such inaccurate or misleading data, opinion or statement.

Periodicals postage paid at Rahway, NJ and additional entry points. *Molecular Immunology* (ISSN 0161–5890) is published monthly plus additional issues in February, April, June, August, October and December, by Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K. The annual subscription in the U.S.A. is $1748. *Molecular Immunology* is distributed by Mercury Airfreight International Ltd, 10 Camptown Road, Irvington, NJ 07111-1105. Postmaster: please send address corrections to *Molecular Immunology*, c/o Elsevier Science RSO, Customer Support Department, 655 Avenue of the Americas, New York, NY 10010, U.S.A. [Tel: (+1) 212-633-3730/1-888 4ES-INFO. Fax: (+1) 212-633-3680. E-mail: usinfo-f@elsevier.com].

ContentsDirect delivers the table of contents of this journal, by e-mail, approximately two to four weeks prior to each issue's publication. To subscribe to this free service complete and return the form at the back of this issue or send an e-mail message to cdsubs@elsevier.co.uk

CONTENTS OF VOLUME 33

NUMBER 1

D. S. Vinay, M. Raje and G. C. Mishra	1	Characterization of a novel co-stimulatory molecule: A 155–160 kD B cell surface protein provides accessory help to $CD4^+$ T cells to proliferate and differentiate
M.-M. Cals, S. Guenzi, S. Carelli, T. Simmen, A. Sparvoli and R. Sitia	15	IgM polymerization inhibits the Golgi-mediated processing of the μ-chain carboxy-terminal glycans
C. Hitzel and N. Koch	25	The invariant chain derived fragment CLIP is an efficient *in vitro* inhibitor of peptide binding to MHC class II molecules
E. R. Fedyk, J. M. Ripper, D. M. Brown and R. P. Phipps	33	A molecular analysis of PGE receptor (EP) expression on normal and transformed B lymphocytes: Co-expression of EP_1, EP_2, $EP_{3\beta}$ and EP_4
M. Ohlin, H. Owman, M. Mach and C. A. K. Borrebaeck	47	Light chain shuffling of a high affinity antibody results in a drift in epitope recognition
C.-G. Chen, J. Malliaros, M. Katerelos, A. J. F. D'Apice and M. J. Pearse	57	Inhibition of NF-κB activation by a dominant-negative mutant of IκBα
J. A. Nunès, M. Battifora, J. R. Woodgett, A. Truneh, D. Olive and D. A. Cantrell	63	CD28 signal transduction pathways. A comparison of B7-1 and B7-2 regulation of the MAP kinases: ERK2 and Jun kinases
S. Kerdine, H. Lebrec, J. Bertoglio and M. Pallardy	71	Interleukin-4 plays a dominant role in Th1- or Th2-like responses during the primary immune response to the hapten penicillin
E. W. Voss Jr.	79	Perturbation of antibody bound bifluorescent-ligand probe by polyclonal anti-metatype antibodies interacting with epitopes proximal to the liganded antibody active site
M. Monestier and K. E. Novick	89	Specificities and genetic characteristics of nucleosome-reactive antibodies from autoimmune mice
J. O. Minta, M. J. Wong, C. A. Kozak, L. M. Kunnath-Muglia and G. Goldberger	101	cDNA cloning, sequencing and chromosomal assignment of the gene for mouse complement factor I (C3b/C4b inactivator): Identification of a species specific divergent segment in factor I
	113	*Announcement*
	i	*Forthcoming papers*

NUMBER 2

J. D. Noti, B. C. Reinemann and M. N. Petrus	115	Regulation of the leukocyte integrin gene CD11c is mediated by AP1 and Ets transcription factors
C. A. Sotriffer, K. R. Liedl, R. H. Winger, A. M. Gamper, R. T. Kroemer, D. S. Linthicum, B.-M. Rode and J. M. Varga	129	Heteroligation of a mouse monoclonal IgE antibody (La2) with small molecules, analysed by computer-aided automated docking

A. J. Deavin, T. R. Auton and P. J. Greaney 145 Statistical comparison of established T-cell epitope predictors against a large database of human and murine antigens

C. J. Lyon, G. A. Miranda, J. S. Piao and R. J. Aguilera 157 Characterization of an endonuclease activity which preferentially cleaves the G-rich immunoglobulin switch repeat sequences

G. J. Cotton, S. E. M. Howie, I. Heslop, J. A. Ross, D. J. Harrison and R. Ramage 171 Design and synthesis of a highly immunogenic, discontinuous epitope of HIV-1 gp120 which binds to CD4+ve transfected cells

J. G. Major Jr, F. M. Davis, R. S. Liou and T.-W. Chang 179 Structural features of the extracellular portion of membrane-anchoring peptides on membrane-bound immunoglobulins

I. Kacskovics and J. E. Butler 189 The heterogeneity of bovine IgG2—VIII. The complete cDNA sequence of bovine IgG2a (A2) and an IgG1

Y.-J. Jang, J.-M. Lecerf and B. D. Stollar 197 Heavy chain dominance in the binding of DNA by a lupus mouse monoclonal autoantibody

C. R. Jost, J. A. Titus, I. Kurucz and D. M. Segal 211 A single-chain bispecific Fv_2 molecule produced in mammalian cells redirects lysis by activated CTL

J.-S. Lim, S. Kim, H. G. Lee, K.-Y. Lee, T.-J. Kwon and K. Kim 221 Selection of peptides that bind to the HLA-A2.1 molecule by molecular modelling

i *Forthcoming Papers*

NUMBER 3

R. M. Fairhurst, Y. Valles-Ayoub, M. Neshat and J. Braun 231 A DNA repair abnormality specific for rearranged immunoglobulin variable genes in germinal center B cells

J. Lustgarten, T. Waks and Z. Eshhar 245 Prolonged inhibition of IgE production in mice following treatment with an IgE-specific immunotoxin

T. C. Brodnicki, P. O. Holman and D. M. Kranz 253 Reactivity and epitope mapping of single-chain T cell receptors with monoclonal antibodies

F. Kishi, Y. Tanizawa and M. Nobumoto 265 Structural analysis of human natural resistance-associated macrophage protein 1 promoter

G. Carra, M. Giunta, C. Benati, C. Bovolenta, G. Tridente, M. Libonati and F. Gerosa 269 Selective association of a 22–38 kDa glycoprotein with MHC class II DP antigen on activated human lymphocytes at the plasma membrane

M. Dueñas, A.-C. Malmborg, R. Casalvilla, M. Ohlin and C. A. K. Borrebaeck 279 Selection of phage displayed antibodies based on kinetic constants

K. Kawauchi, A. H. Lazarus, J. S. Sanghera, G. L. Pui Man, S. L. Pelech and T. L. Delovitch 287 Regulation of BCR- and PKC/Ca^{2+}-mediated activation of the RAF1/MEK/MAPK pathway by protein-tyrosine kinase and -tyrosine phosphatase activities

R. O. Ebanks and D. E. Isenman 297 Mouse complement component C4 is devoid of classical pathway C5 convertase subunit activity

A. Fujikawa, N. Ishimaru, A. Seto, H. Yamada, T. Aki, S. Shigeta, T. Wada, T. Jyo, Y. Murooka, S. Oka and K. Ono 311 Cloning and characterization of a new allergen, Mag 3, from the house dust mite, *Dermatophagoides farinae*: Cross-reactivity with high-molecular-weight allergen

A. Truneh, M. Reddy, P. Ryan, S. D. Lyn, C. Eichman, D. Couez, M. R. Hurle, R. P. Sekaly, D. Olive and R. Sweet 321 Differential recognition by CD28 of its cognate counter receptors CD80 (B7.1) and B70 (B7.2): Analysis by site directed mutagenesis

i *Forthcoming papers*

NUMBER 4/5

E. M. Peterson, X. Cheng, Z. Qu and L. M. De La Maza 335 The effect of orientation within a chimeric peptide on the immunogenicity of *Chlamydia trachomatis* epitopes

W. S. Goebel, R. H. Schloemer and Z. Brahmi 341 Target cell-induced perforin mRNA turnover in NK3.3 cells is mediated by multiple elements within the mRNA coding region

S. Cseh, P. Gál, M. Sárvári, J. Dobó, Z. Lőrincz, V. N. Schumaker and P. Závodszky 351 Functional effects of domain deletions in a multi-domain serine protease, C1r

W. J. Alms, S. P. Atamas, V. V. Yurovsky and B. White 361 Generation of a variant of human interleukin-4 by alternative splicing

S. Wu and J. Gorski 371 The MHC class II-associated invariant chain-derived peptide CLIP binds to the peptide-binding groove of class II molecules

T. Q. Nguyen, J. D. Capra and R. D. Sontheimer 379 Calreticulin is transcriptionally upregulated by heat shock, calcium and heavy metals

S. Demotz and A. Péléraux 387 Processing of DR1-restricted determinants from the fusion protein of measles virus following two distinct pathways

A. M. Smith and M. D. Chapman 399 Reduction in IgE binding to allergen variants generated by site-directed mutagenesis: Contribution of disulfide bonds to the antigenic structure of the major house dust mite allergen Der p 2

G. Bannish, C. Hume and J. S. Lee 407 Coordinate regulation of HLA class II genes: A novel DNA binding complex

S. Laffer, M. Duchene, I. Reimitzer, M. Susani, C. Mannhalter, D. Kraft and R. Valenta 417 Common IgE-epitopes of recombinant *Phl p* I, the major timothy grass pollen allergen and natural group I grass pollen isoallergens

M. A. Glozak and B. B. Blomberg 427 The human λ immunoglobulin enhancer is controlled by both positive elements and developmentally regulated negative elements

G. R. Pilkington, L. Duan, M. Zhu, W. Keil and R. J. Pomerantz 439 Recombinant human Fab antibody fragments to HIV-1 Rev and Tat regulatory proteins: Direct selection from a combinatorial phage display library

M. Suzuki, N. Komiyama, M. Itoh, H. Itoh, T. Sone, K. Kino, I. Takagi and N. Ohta 451 Purification, characterization and molecular cloning of Cha o 1, a major allergen of *Chamaecyparis obtusa* (Japanese cypress) pollen

K. Kaushansky, C. O'Rork, S. G. Shoemaker and J. McCarty 461 The regulation of GM-CSF is dependent on a complex interplay of multiple nuclear proteins

J. K. Kalsi, A. C. R. Martin, Y. Hirabayashi, M. Ehrenstein, C. M. Longhurst, C. Ravirajan, M. Zvelebil, D. Stollar, J. M. Thornton and D. A. Isenberg 471 Functional and modelling studies of the binding of human monoclonal anti-DNA antibodies to DNA

i *Forthcoming papers*

NUMBER 6

C. D. Partidos, P. Vohra, C. Anagnostopoulou, D. H. Jones, G. H. Farrar and M. W. Steward 485 Biodegradable microparticles as a delivery system for measles virus cytotoxic T cell epitopes

S. Popov, J. G. Hubbard and E. S. Ward 493 A novel and efficient route for the isolation of antibodies that recognise T cell receptor Vαs

W. A. Hutchins, A. R. Adkins, T. Kieber-Emmons and M. A. J. Westerink 503 Molecular characterization of a monoclonal antibody produced in response to a group C meningococcal polysaccharide peptide mimic

A. Seeger, W. E. Mayer and J. Klein 511 A complement factor B-like cDNA clone from the zebrafish (*Brachydanio rerio*)

S. Popov, J. G. Hubbard, J.-K. Kim, B. Ober, V. Ghetie and E. S. Ward 521 The stoichiometry and affinity of the interaction of murine Fc fragments with the MHC class I-related receptor, FcRn

P. L. Orchansky, D. H. W. Ng, P. Johnson and H.-S. Teh 531 Increase in the specific activity of p50^{csk} in proliferating T cells correlates with decreased specific activity of p56^{lck} and p59^{fyn} and reduced phosphorylation of CD3 subunits

M. D. Goldstein, M. A. Debenedette, D. Hollenbaugh and T. H. Watts 541 Induction of costimulatory molecules B7-1 and B7-2 in murine B cells: the CBA/N mouse reveals a role for Bruton's tyrosine kinase in CD40-mediated B7 induction

S.-C. Huang, R. Jiang, A. M. Glas and E. C. B. Milner 553 Non-stochastic utlization of Ig V region genes in unselected human peripheral B cells

A. Rostagno, M. Williams, B. Frangione and L. I. Gold 561 Biochemical analysis of the interaction of fibronectin with IgG and localization of the respective binding sites

F. Hlavac, F. Connan, J. Hoebeke, J.-G. Guillet and J. Choppin 573 Direct detection of peptide-dependent HLA variability by surface plasmon resonance

i *Forthcoming papers*

NUMBER 7/8

M. Ohlin and C. A. K. Borrebaeck	583	*Viewpoint* Characteristics of human antibody repertoires following active immune responses *in vivo*
L. Li, M. Sun, Q.-S. Gao and S. Paul	593	Low level formation of potent catalytic IgG fragments mediated by disulfide bond instability
T. P. Hopp, B. Gallis and K. S. Prickett	601	Metal-binding properties of a calcium-dependent monoclonal antibody
B. S. Wang, A. A. Lumanglas, H.-M. Shieh, M. J. Corbett, R.-J. Zhang and L. A. Kraft	609	Immunological effect of a synthetic growth hormone peptide on the growth performance in swine
U. Winkler, N. J. Allison, S. L. Woodard, R. A. Gault, G. R. Ewoldt, C.-M. Kam, A. Abuelyaman, J. C. Powers and D. Hudig	615	Characterization, application and potential uses of biotin-tagged inhibitors for lymphocyte serine proteases (granzymes)
B. J. Rider, E. Fraga, Q. Yu and B. Singh	625	Immune responses to self peptides naturally presented by murine class II Major Histocompatibility Complex molecules
Y. G. Meng, N. Singh and W. L. Wong	635	Binding of cynomolgus monkey IgE to a humanized anti-human IgE antibody and human high affinity IgE receptor
H. Thomas, F. Maillet, D. Letourneur, J. Jozefonvicz, E. Fischer and M. D. Kazatchkine	643	Sulfonated dextran inhibits complement activation and complement-dependent cytotoxicty in an *in vitro* model of hyperacute xenograft rejection
P. Garrone, O. Djossou, F. Fossiez, J. Reyes, S. Ait-Yahia, C. Maat, S. Ho, T. Hauser, J.-M. Dayer, J. Greffe, P. Miossec, S. Lebecque, F. Rousset and J. Banchereau	649	Generation and characterization of a human monoclonal autoantibody that acts as a high affinity interleukin-1α specific inhibitor
E. C. Nice, T. L. McInerney and D. C. Jackson	659	Analysis of the interaction between a synthetic peptide of influenza virus hemagglutinin and monoclonal antibodies using an optical biosensor
C. L. Aparicio, F. Berthiaume, C. C. Chang and M. L. Yarmush	671	Tumor necrosis factor-alpha (TNF-α) induces a reversible, time- and dose-dependent adhesion of progenitor T cells to endothelial cells
B. Z. Dolimbek and M. Z. Atassi	681	Protection against α-bungarotoxin poisoning by immunization with synthetic toxin peptides
C. Milcarek, M. Suda-Hartman, and S. C. Croll	691	Changes in abundance of IgG 2a mRNA in the nucleus and cytoplasm of a murine B-lymphoma before and after fusion to a myeloma cell
Z. Chen, I. Berkower, W.-M. Ching, R. Y.-H. Wang, H. J. Alter and J. W.-K. Shih	703	Identification of a murine $CD4^+$ T-lymphocyte response site in hepatitis C virus core protein

A. M. Cedergren, S. D. Miklasz and E. W. Voss Jr 711 Antibody networks and imaging: Elicitation of anti-fluorescein antibodies in response to the metatypic state of fluorescein-specific monoclonal antibodies

A. F. Esser, R. W. Tarnuzzer, S. Tomlinson, L. D. Tatar and K. K. Stanley 725 Horse complement protein C9: Primary structure and cytotoxic activity

735 *Erratum*

i *Forthcoming Papers*

NUMBER 9

S. J. Seligman, J. M. Binley, M. K. Gorny, D. R. Burton, S. Zolla-Pazner and K. A. Sokolowski 737 Characterization by serial deletion competition ELISAs of HIV-1 V3 loop epitopes recognized by monoclonal antibodies

K. A. Louie, J. Ochoa-Garay, Pei-Jia Chen, D. McKinney, S. Groshen and M. McMillan 747 H-2L^d-alloreactive T cell hybridomas utilize diverse Vα and Vβ T cell receptor chains

K. D. White, M. B. Frank, S. Foundling and F. J. Waxman 759 Effect of immunoglobulin variable region structure on C3b and C4b deposition

A. C. Lankester and R. A. W. van Lier 769 Compartmentalization of B-cell antigen receptor functions

C. F. Lange and M. J. Esmao 777 Epitope mapping of homologous and cross-reactive antigens by monoclonal antibodies to streptococcal cell membrane (mAb to SCM)

M. Ono, P. W. Tucker and J. D. Capra 787 Ku is a general inhibitor of DNA–protein complex formation and transcription

C. Guérin-Marchand, H. Sénéchal, A.-P. Bouin, V. Leduc-Brodard, G. Taudou, A. Weyer, G. Peltre and B. David 797 Cloning, sequencing and immunological characterization of Dac g 3, a major allergen from *Dactylis glomerata* pollen

C. Hollmann, F. Haag, M. Schlott, A. Damaske, H. Bertuleit, M. Matthes, M. Kühl, H.-G. Thiele and F. Koch-Nolte 807 Molecular characterization of mouse T-cell ecto-ADP-ribosyltransferase Rt6: cloning of a second functional gene and identification of the Rt6 gene products

B. A. Schodin, C. J. Schlueter and D. M. Kranz 819 Binding properties and solubility of single-chain T cell receptors expressed in *E. coli*

831 Immunology Web Sites

833 *Forthcoming papers*

NUMBER 10

P. L. Orchansky, L. Matsuuchi, P.-O. Ericsson and Hung-Sia Teh 835 Differential regulation of p72^{syk} expression in naive and proliferating CD4$^-$CD8$^+$ T cells

J. S. J. Gerritsma, A. F. Gerritsen, C. Van Kooten, L. A. Van Es and M. R. Daha 847 Interleukin-1α enhances the biosynthesis of complement C3 and factor B by human kidney proximal tubular epithelial cells *in vitro*

K. Nakamura, T. Hori and J. Yodoi 855 Alternative binding of $p56^{lck}$ and phosphatidylinositol 3-kinase in T cells by sulfhydryl oxidation: implication of abberant signaling due to oxidative stress in T lymphocytes

M. G. Tomlinson and M. D. Wright 867 Characterisation of mouse CD37: cDNA and genomic cloning

Kyu-Earn Kim, A. Rosenberg, S. Roberts and M. N. Blumenthal 873 The affinity of allergen specific IgE and the competition between IgE and IgG for the allergen in *Amb a V* sensitive individuals

B. A. Witthuhn and C. Faust 881 Isolation and characterization of the rat β-subunit gene of the high affinity receptor for immunoglobulin E

R. Makida, M. F. Hofer, K. Takase, J. C. Cambier and D. Y. M. Leung 891 Bacterial superantigens induce Vβ-specific T cell receptor internalization

901 *Forthcoming papers*

NUMBER 11/12

Z. Szewczuk, I. Z. Siemion and Z. Wieczorek 903 Immunological properties of the thymopentin-like fragments of HLA-DQ

C. Demangel, P. Lafaye and J. C. Mazie 909 Reproducing the immune response against the *Plasmodium vivax* merozoite surface protein 1 with mimotopes selected from a phage-displayed peptide library

K. Waśniowska, D. Blanchard, D. Janvier, Zi-Xuan Wang, S. C. Peiper, T. J. Hadley and E. Lisowska 917 Identification of the Fy6 epitope recognized by two monoclonal antibodies in the N-terminal extracellular portion of the Duffy antigen receptor for chemokines

T. Uemura, T. Yano, H. Shiraishi and M. Nakao 925 Purification and characterization of the eighth and ninth components of carp complement

M. Nakao, T. Uemura and T. Yano 933 Terminal components of carp complement constituting a membrane attack complex

C. K. Holtzapple, R. J. Carlin, B. G. Rose, L. F. Kubena and L. H. Stanker 939 Characterization of monoclonal antibodies to aflatoxin M1 and molecular modeling studies of related aflatoxins

A. N. Goldfarb, J. P. Flores and K. Lewandowska 947 Involvement of the E2A basic helix-loop-helix protein in immunoglobulin heavy chain class switching

Tong-Gang Wang, L. Lybarger, R. Soloff, D. Dempsey and R. Chervenak 957 Pre-thymic transcription of TCR genes by adult murine bone marrow cells

M. D. Jumper, K. Fujita, P. E. Lipsky and K. Meek 965 A CD30 responsive element in the germline ε promoter that is distinct from and inhibitory to the CD40 response element

T. M. LaVallee and S. L. Morrison 973 Identification and functional characterization of a highly conserved sequence in the intron of the kappa light chain gene

B.-E. Drysdale, D. L. Howard and R. J. Johnson 989 Identification of a lipopolysaccharide inducible transcription factor in murine macrophages

S. Bailly, N. Israël, M. Fay, M.-A. Gougerot-Pocidalo and G. W. Duff 999 An intronic polymorphic repeat sequence modulates interleukin-1 alpha gene regulation

E. T. Harvill and S. L. Morrison 1007 An IgG3-IL-2 fusion protein has higher affinity than hrIL-2 for the IL-2R alpha subunit: real time measurement of ligand binding

1015 *Forthcoming papers*

NUMBER 13

M. Astori and J.-P. Kraehenbuhl 1017 Recombinant fusion peptides containing single or multiple repeats of a ubiquitous T-helper epitope are highly immunogenic

S. M. Drouin, J. A. Carlino and S. R. Barnum 1025 Transforming growth factor-β2-mediated regulation of C3 gene expression in monocytes

M. Alaibac and A. C. Chu 1035 High incidence of a T nucleotide at the second position of codon 97 in Vδ2-(D)-Jδ1 junctional sequences of human normal skin $\gamma\delta$ T-cells

H. Breiteneder, R. Friedl-Hajek, C. Ebner, S. Schenk, G. Fischer, D. Kraft and O. Scheiner 1039 Sequence comparisons of the CDR3 hyper-variable loops of human T cell receptors specific for three major T cell epitopes of the birch pollen allergen Bet v 1

C. De Lalla, E. Tamborini, R. Longhi, E. Tresoldi, M. Manoni, A. G. Siccardi, P. Arosio and A. Sidoli 1049 Human recombinant antibody fragments specific for a rye-grass pollen allergen: characterization and potential applications

H. Kurioka, H. Kishi, H. Isshiki, H. Tagoh, K. Mori, T. Kitagawa, T. Nagata, K. Dohi and A. Muraguchi 1059 Isolation and characterization of a TATA-less promoter for the human RAG-1 gene

M. E. Mummert and E. W. Voss Jr 1067 Effects of secondary forces on the ligand binding properties and variable domain conformations of a monoclonal anti-fluorescyl antibody

P. Vanguri, S. Y. Cho and Chun-Min Chi 1079 Role of mulP-10 in interferon-γ induction of Ia in rat astrocytes

1089 Erratum

1091 Announcement

1093 *Forthcoming papers*

NUMBER 14

R. R. Speck, J. R. Couto, S. G. Godwin, R. B. Christian, R. Kiwan, R. L. Ceriani and J. A. Peterson	1095	Inverted Fab2s (IFab2s): engineering and expression of novel, dimeric molecules, with a molecular weight of 100 000
R. Sabat, M. Seifert, H.-D. Volk and R. W. Glaser	1103	Neutralizing murine monoclonal anti-interleukin-10 antibodies enhance binding of antibodies against a different epitope
J.-M. Chatel, H. Bernard, G. Clement, Y. Frobert, C. A. Batt, J. Gavalchin, G. Peltre and J.-M. Wal	1113	Expression, purification and immunochemical characterization of recombinant bovine beta-lactoglobulin, a major cow milk allergen
J. Marrugo, D. G. Marsh and B. Ghosh	1119	The conserved lymphokine element-0 in the *IL5* promoter binds to a high mobility group-1 protein
Quansheng Zhou, Ji Zhao, T. Hüsler and P. J. Sims	1127	Expression of recombinant CD59 with an N-terminal peptide epitope facilitates analysis of residues contributing to its complement-inhibitory function
C. G. Miller, D. N. Cook and G. J. Kotwal	1135	Two chemotactic factors, C5a and MIP-1α, dramatically alter the mortality from zymosan-induced multiple organ dysfunction syndrome (MODS): C5a contributes to MODS while MIP-1α has a protective role
S. Reid and E. C. Snow	1139	The regulated expression of cell cycle-related proteins as B-lymphocytes enter and progress through the G_1 cell cycle stage following delivery of complete versus partial activation stimuli
	1153	Announcement
	1155	*Forthcoming papers*

NUMBER 15

N. Yamamoto	1157	Structural definition of a potent macrophage activating factor derived from vitamin D_3-binding protein with adjuvant activity for antibody production
S. A. Chang, V. G. Lacaille, D. S. Guttoh and M. J. Androlewicz	1165	Binding and transport of melanoma-specific antigenic peptides by the transporter associated with antigen processing
M. Wagatsuma, M. Kimura, R. Suzuki, F. Takeuchi, K. Matsuta and H. Watanabe	1171	Ezrin, radixin and moesin are possible auto-immune antigens in rheumatoid arthritis
J. D. Hayball, C. M. Jones, J. R. Lamb and R. A. Lake	1177	A T cell clone with three potential TCR α chain rearrangements expresses only one receptor combination at the cell surface
A. H. McDonald, L. G. Byrd, C. R. Mainhart, J. Sopher and S. J. Smith-Gill	1183	Plasmacytoma-refractory BALB/cAnPt mice have naive T cell and highly specific B cell responses to antigen

B. S. Wang, A. L. Lumanglas, C. A. Bona and T. M. Moran 1197 Functional characterization of monoclonal antibodies specific to growth hormone receptor

M. L. Yarmush, D. B. Patankar and D. M. Yarmush 1203 An analysis of transport resistances in the operation of BIAcore™; implications for kinetic studies of biospecific interactions

1215 *Forthcoming papers*

NUMBER 16

C. E. Miller, A. Karpas, R. Schneerson, K. Huppi, P. Kováĉ, V. Pozsgay and C. P. J. Glaudemans 1217 Of four murine, anti-*Shigella dysenteriae* type 1 O-polysaccharide antibodies, three employ V-genes that differ extensively from those of the fourth

C. D. Partidos, A. Delmas and M. W. Steward 1223 Structural requirements for synthetic immunogens to induce measles virus specific CTL responses

G. Vasmatzis, C. Zhang, J. L. Cornette and C. DeLisi 1231 Computational determination of side chain specificity for pockets in class I MHC molecules

F. Kishi, T. Yoshida and S. Aiso 1241 Location of NRAMP1 molecule on the plasma membrane and its association with microtubules

T. Koizumi, J. Wang, Y. Suzuki, K. Masuda and T. Watanabe 1247 Regulation of *bcl-x*$_L$ expression and Fas susceptibility in mouse B cells by CD40 ligation, surface IgM cross-linking and IL-4

M. Irigoyen, C. Kowal, A. C. M. Young, J. C. Sacchettini and B. Diamond 1255 Molecular mapping of the 8.12 SLE-associated idiotype specificity at the single amino acid level

J. E. Dowd, R. W. Karr and D. R. Karp 1267 Functional activity of staphylococcal enterotoxin A requires interactions with both the alpha and beta chains of HLA-DR

1275 Forthcoming papers

NUMBER 17/18

I. Leduc and M. Cogne 1277 Regulatory elements of the *mb*-1 gene encoding the Ig-α component of the human B-cell antigen receptor

M. L. González Romano, M. T. Gallego and L. Berrens 1287 Extraordinary stability of IgE-binding *Parietaria* pollen allergens in relation to chemically bound flavonoids

C. S. Letson, K. M. Kaufman and J. M. Sodetz 1295 *In vitro* expression of the beta subunit of human complement component C8

J. L. Atwell, L. A. Pearce, M. Lah, L. C. Gruen, A. A. Kortt and P. J. Hudson 1301 Design and expression of a stable bispecific scFv dimer with affinity for both glycophorin and N9 neuraminidase

Hua Tang Chen, C. B. Alexander, Fei Fei Chen and R. G. Mage 1313 Rabbit DQ52 and D_H gene expression in early B-cell development

L. J. Sigal and D. E. Wylie	1323	Role of non-anchor residues of D^b-restricted peptides in class I binding and TCR triggering
S. Fujieda, A. Saxon and Ke Zhang	1335	Direct evidence that γ1 and γ3 switching in human B cells is interleukin-10 dependent
P. Martineau, C. Leclerc and M. Hofnung	1345	Modulating the immunological properties of a linear B-cell epitope by insertion into permissive sites of the MalE protein
A. Bot, A. Nangpal, L. Pricop, B. Bogen, A. Kaushik and C. A. Bona	1359	V_λ-light chain genes reconstitute immune responses to defined carbohydrate antigens or haptens by utilizing different V_H genes
G. V. Pinchuk, C. M. Alexander, A. M. Glas, R. J. Armitage and E. C. B. Milner	1369	V_H repertoire in human B lymphocytes stimulated by CD40 ligand and IL-4: evidence for positive and negative selection mechanisms coupled to CD40 activation
J. W. Reim, D. E. Symer, D. C. Watson, R. Z. Dintzis and H. M. Dintzis	1377	Low molecular weight antigen arrays delete high affinity memory B cells without affecting specific T-cell help
T. C. Thomas, S. A. Rollins, R. P. Rother, M. A. Giannoni, S. L. Hartman, E. A. Elliott, S. H. Nye, L. A. Matis, S. P. Squinto and M. J. Evans	1389	Inhibition of complement activity by humanized anti-C5 antibody and single-chain Fv
	1403	*Forthcoming papers*
	I	*Volume Contents, Author and Subject Index*